# Lecture 2. Basic Separation Concepts (1) [Ch. 1]


- General Separation Techniques
  - Separation by phase creation
  - Separation by phase addition
  - Separation by barrier
  - Separation by solid agent
  - Separation by external field or gradient

# General Separation Techniques


- Separation by phase creation
  - Create a second phase that is immiscible with the feed phase
  - Distillation, crystallization
- Separation by phase addition
  - Introduce a second phase in the form of a solvent
  - Solvent extraction
- Separation by barrier
  - Restrict and/or enhance the movement of certain chemical species
  - Membrane separation
- Separation by solid agent
  - Add solid particles that act directly or as inert carriers for separation
  - Adsorption
- Separation by force field or gradient
  - Apply external fields of various types
  - Centrifugation

- Energy-separating agent (ESA)
  - Heat transfer (heating, cooling)
  - Shaft work can be involved together
- Mass-separating agent (MSA)
  - May be partially immiscible with one or more of species
  - May be completely miscible with a liquid mixture
- Disadvantages of MSA
  - Need for an additional separator to recover the MSA for recycle
  - Need for MSA makeup
  - Possible contamination of the product with the MSA
  - More difficult design procedures

 Partial condensation / Partial vaporization (Heat transfer)  Flash vaporization (Pressure reduction)




Recovery of heavy hydrocarbon components from gas mixtures



Recovery of water from sea water

#### Distillation

(Heat transfer or sometimes work transfer)




- When the volatility difference among species are not sufficiently large
- Most widely used industrial separation technique
- Multiple contact between counter current flow of V/L in trays (stages)



#### Extractive distillation


Liquid solvent (MSA) and Heat transfer (ESA)



- When the volatility difference among species are so small (more than 100 trays are required)
- MSA is used to increase volatility difference (reducing the number of trays)
- Minimize MSA loss (recycling)
- Separation of acetone (b.p.
  56.5℃) and ethanol (b.p. 78.4℃)

#### Reboiled absorption


Liquid absorbent (MSA) and Heat transfer (ESA)



- When condensation of vapor is not easily accomplished
- Removal of ethane and lower molecular hydrocarbons from LPG

Absorption


Liquid absorbent (MSA)



Separation of CO<sub>2</sub> from combustion product using ethanolamine

Stripping


Stripping vapor (MSA)



Removal of light ends from naphtha, kerosene, and gas oil


Refluxed stripping (Steam distillation)

Stripping vapor (MSA) and Heat transfer (ESA)



Reboiled stripping

Heat transfer




Separation of products from delayed coking

Recovery of amine absorbent

#### Azeotropic distillation


Liquid entrainer (MSA) and Heat transfer (ESA)



- When minimum-boiling azeotropes are formed
- Recovery of acetic acid from water using n-butyl acetate as an entrainer to form an azeotrope with water

Liquid – liquid extraction


Liquid solvent (MSA)



Recovery of aromatics

Liquid-liquid extraction (two-solvent)


Liquid solvents (MSA<sub>1</sub> & MSA<sub>2</sub>)



Use of propane and cresylic acid as solvents to separate paraffins from aromatics and naphthenes


- DryingHeat transfer (ESA)
- Evaporation
- Heat transfer (ESA)
- Crystallization
- Heat transfer (ESA)
- Desublimation

Heat transfer (ESA)




Removal of water from PVC

Evaporation of water from water + urea




Crystallization of high purity silicon for semiconductor



Recovery of phthalic anhydride from non-condensible gas

Leaching (Liquid-solid extraction)
 Liquid solvent

Foam fractionation
 Gas bubbles (MSA)




L (foam)

Detergent tend to rise with gas bubble


Extraction of sugar using hot water

Recovery of detergent from waste solutions

## Water Treatment Using Foam Fractionation



- Use of microporous/nonporous membrane as semipermeable barriers
  - Microporous membrane: different diffusion rates through pores
  - Nonporous membrane: differences in both solubility in the membrane and diffusion rate through the membrane
- Membrane materials
- Natural fibers, synthetic polymers, ceramics, metals, liquid films
- Fabrication of membrane
- Flat sheets, tubes, hollow fibers, spiral-wound sheets



Osmosis

Nonporous membrane Concentration gradient Reverse osmosis


Nonporous membrane Pressure gradient

Dialysis

Porous membrane
Concentration gradient,
Pressure gradient

Recovery of caustic

from hemicellulose



Desalination of sea water

Microfiltration

Microporous membrane

Pressure gradient

Ultrafilration


Microporous membrane

Pressure gradient

Pervaporation


Nonporous membrane

Pressure gradient




Removal of bacterial from drinking water

(retention of molecules : 0.02 - 10 μm)



Separation of whey from cheese

(retention of molecules : 1 - 20 nm)



Separation of azeotropic mixtures

Gas permeation

Nonporous membrane

Pressure gradient


V gas mixture gas

Hydrogen enrichment

Liquid membrane

Liquid membrane


Pressure gradient




Removal of hydrogen sulfide

## **Liquid Membrane Types**


#### **Bulk liquid membrane**




### Thin sheet supported liquid membrane



#### **Emulsion liquid membrane**



#### Hollow fiber supported liquid membrane



# Separation by Solid Agent


- Solid mass-separating agent
  - Form of a granular material or packing
- Saturation → Periodical regeneration is required
  - Batchwise or semicontinuous operation




Molecular sieve



Activated carbon



Silica gel





Packed columns

# Separation by Solid Agent

Adsorption


Solid adsorbent

Chromatography


Solid adsorbent or liquid adsorbent on solid support

Ion exchange


Resin with ion-active sites



Purification of p-xylene



Separation of xylene isomers and ethylbenzene




Demineralization of water (removing calcium ions)


- Different degrees of response of molecules and ions to forces and gradients
- Centrifugation
  - Force field or gradient: Centrifugal force field
     Pressure field → separation according to molecular weight
  - Example: Separation of uranium isotopes, separation of plasma from blood








- Thermal diffusion
  - Force field or gradient: Thermal gradient
  - Example: Separation of uranium isotopes




- Electrolysis
  - Force field or gradient: Electrical force field
  - Example: Concentration of heavy water (D<sub>2</sub>O)




## Electrodialysis

- Force field or gradient: Electrical force field and membrane
- Transport salt ions from one solution through ion-exchange membranes to another solution under the influence of an applied electric potential difference
- Example: Desalinization of sea water




- Electrophoresis
  - Force field or gradient: Electrical force field
  - Example: Recovery of hemicelluloses



- Using different migration velocities of charged colloidal or suspended species in an electric field
- -Application: Biochemicals

- Field-flow fractionation
  - Force field or gradient: Laminar flow in force field
  - An electrical or magnetic field or thermal gradient is established perpendicular to a laminar-flow field



Micromolecular and colloidal materials